



CROSS COUNTRY CANADA SUPPLIES & RENTALS DENSO COATINGS

PIPELINE • OIL & GAS • WASTEWATER • MARINE • UTILITIES • ROADWAYS

Denso, a leader in corrosion prevention and sealing technology, is renowned for its innovative solutions and cutting-edge advancements in the field. With an extensive range of custom solutions, Denso caters to the unique needs of various industries, setting the standard for excellence in corrosion prevention.

At Cross Country Canada, we are committed to providing top-quality products and services to our valued customers. By partnering with Denso, we strengthen our ability to deliver industry-leading corrosion prevention and sealing technology to meet your specific requirements.



Whether oil and gas, construction, transportation, or any other industry that demands reliable protection against corrosion, our Denso product offering ensures access to the most advanced solutions available.

WWW.CROSSCOUNTRYCANADA.CA
780-962-6559



PIPELINE COATINGS

Denso's pipeline coatings can be applied by hand, spray or cartridge gun. We offer a full range of fast cure, high build epoxies for a variety of above and below ground corrosion prevention applications.



PROTAL 7200

High Build, Fast Cure Pipeline Coating

A VOC free, 100% solids, two-part epoxy coating specially formulated to complement FBE coated pipe. A high build liquid coating that can be brushed or sprayed applied in a shop or in the field up to 60 mils in one coat.



PROTAL 7125

Fast Cure, Low Temperature Pipeline Coating

Formulated to be applied to colder substrates at cooler ambient temperatures -4°F (-20°C). A high build liquid coating that is brushed or spray applied in one coat to many areas during winter applications.



PROTAL 7700

Environmentally Friendly Pipeline Coating

A fast curing, VOC and Nonylphenol free two-part pipeline coating. The coating has outstanding flexibility, abrasion, gouge and impact results.



PROTAL 7900HT

High Temperature, Pipeline Coating

A VOC free, 100% solids, two-part epoxy coating for pipelines operating at temperatures up to 250°F (121°C) with intermittent temperatures up to 300°F (150°C). Cures fast to allow for quick backfill when applied to substrates with higher temperatures.



PROTAL 7300

Moisture Tolerant Pipeline Liquid Coating

A VOC free, 100% solids, two-part epoxy coating specially formulated to coat dry, damp or wet surfaces. Can be applied to sweating pipelines above or below ground.



PROTAL PROTECTIVE LIQUID COATINGS

- Easy to apply (brush, roller, spray)
- Fast cure
- High Build
- Outstanding cathodic disbondment results
- Excellent adhesion (compatible with FBE coated pipe)
- High abrasion, gouge and impact resistance for directional drilling applications
- 100% solids (no solvents)
- Compatible with cathodic protection currents

CARTRIDGES (COATING & REPAIR)

Convenient sized cartridges for Protal products. Denso provides cartridges in a range of sizes from 50ml to 1000ml. To be used for spray applications or repairs.



PETROLATUM TAPE SYSTEMS

Denso Petrolatum tape systems offer long term corrosion prevention to above and below ground steelwork, dock piles and marine structures.



DENSO LT TAPE

Multi-purpose, surface tolerant (wet & dry), moisture resistant petrolatum wax tape for corrosion prevention of steel pipes and fittings in low-temperature environments down to -40°F (-40°C).



HIGH TACK TAPE

A high adhesive tape petrolatum tape for the protection of above ground steelwork.



GLASS OUTERWRAP

A protective fiberglass outerwrap with exceptional mechanical and impact strength for underwater, underground, and above ground pipe and piles.



HOTLINE TAPE

A cold applied, conformable petrolatum tape for the protection of metal pipes operating at elevated service temperatures.



BORE-WRAP

A heavy-duty, sacrificial Abrasion Resistant Outerwrap (ARO) for trenchless pipeline installations, severe handling or installations in difficult terrain.

- Prevents coating damage during trenchless pipeline installations, severe handling or difficult terrain
- Outstanding impact, gouge, abrasion and fracture resistance
- Minimises the need for spot repairs or re-pulling pipe from damage
- Easy to apply with no mixing and a rapid cure time
- Resistant to water, acid, salts, or soil organics
- Excellent flexibility, hardness and adhesion
- VOC free



BUTYL MASTIC TAPE

A 100% solids, non-hardening, thick butyl-based sealant tape with aggressive surface tack and high tensile strength.



MARINE PILING TAPE

A petrolatum tape with HDPE backing for marine environment use. Unaffected by water, acid or salts. Protects timber, steel & concrete piles, submerged pipe and other surfaces in contact with water.

SEALING & MOLDING PRODUCTS


Provide a smooth profile to minimal prepared surfaces and can quickly be applied to provide an effective water tight seal. Accommodates movement and vibrations underground to help ensure corrosion prevention.

Suitable for flanged joints, flanges, valves, couplings, nuts & bolts, irregular shaped fittings and more.




ROAD MAINTENANCE PRODUCTS

Denso road and maintenance products provide a seal to asphalt to steel and/or concrete surfaces. Can be used for new road construction and maintenance, as well as bridge repair, parking lots, railways and airport runway applications.



DENSOBAND

A polymer modified bitumen strip for sealing cold joints with hot asphalt to asphalt, concrete or steel in road repair or construction. DensoBand forms a flexible watertight seal which allows for road movement from traffic load and thermal changes thereby preventing cracking and the subsequent failure of the joint.



DENSO RE-INSTATEMENT TAPE

A cold applied, polymer modified bituminous sealing strip that is applied vertically to create a tough, uniform, waterproof seal. For sealing joints between existing asphalt and new asphalt installations. Used in conjunction with primer. Adheres to asphalt, concrete and steel.



DENSO PRIMER D

A specially formulated primer for preparing the surface of concrete, asphalt or steel for the application and good adhesion of Denso road maintenance products.



DENSO BUTYL SPRAY PRIMER

Easily applied to quickly provide an adhesive to hold the appropriate Denso asphalt tape in place until the installation of the top lift of hot mix asphalt. Convenient and portable and can be used when the substrate is clean but cold, to ensure good adhesion prior to the asphalt placement.

WWW.CROSSCOUNTRYCANADA.CA
780-962-6559

